

Item Number EB15704463

https://www.eibabo.cn/doepke/miniature-circuit-breaker-3-p-c32a-dls-6h-c32-3-6-ka-eb15704463



Miniature circuit breaker 3-p C32A DLS 6H C32-3 6 kA



Doepke

DLS 6H C32-3 6 kA 09914296 4014712163775 EAN/GTIN

215,98 CNY excl. VAT**

plus shipping



4-5 days* (CHN)

Miniature circuit breaker DLS 6H C32-3 6 kA tripping characteristic C, number of poles (total) 3, number of fused poles 3, rated current 32A, rated voltage 400V, rated insulation voltage Ui 2V, rated impulse withstand voltage Uimp 4kV, rated switching capacity Icn according to EN 60898 at 230 V 6kA, rated switching capacity Icn according to EN 60898 at 400 V 6kA, rated switching capacity Icu according to IEC 60947-2 at 230 V 0kA, rated switching capacity Icu according to IEC 60947-2 at 400 V 0kA, type of voltage AC, frequency 16.67 ... 60Hz, energy limitation class 3, overvoltage category 3, degree of pollution 2, additional equipment possible, width in module widths 3, mounting depth 68mm, degree of protection (IP) IP20, ambient temperature during operation -25 ... 55°C, connectable conductor cross-section stranded 1.5 ... 25mm², connectable conductor cross-section solid 0.5 . . . 25mm², the task of circuit breakers is the automatic shutdown of circuits to protect lines and connected external devices. After being switched off, they can be switched on again manually without e.g. B. fuse links would have to be replaced. Each of our line protection circuits is equipped with a trip-free release, which ensures safe switching off, even in the event of e.g. B. mechanically blocked toggle switch guaranteed. Miniature circuit breakers of the DLS 6 series protect cables, lines and installation devices against overload and short circuits in accordance with DIN VDE 0100. The series includes a large selection of different types, from switches for residential and functional buildings to switches for industrial areas. Due to their compact design, miniature circuit breakers of the DLS 6 series offer maximum space savings for convenient wiring. The large clamping range and the possibility of using commercially available wiring rails ensure easy installation. In addition, it is possible to connect a large number of additional devices such as shunt trips and auxiliary and fault indicators. With its rated switching capacity of 6 kA, the DLS 6h version for trade is suitable for distribution and final circuits. Switches with tripping characteristic C are optimized for power circuits with high inrush or peak currents. Properties: Rated switching capacity 6 kA, clamping yoke terminals with a wide range of terminal cross-sections for rail and cable wiring on both connection sides, special quick fastening for removing several circuit breakers from the lower or upper rail assembly, large. Hinged labeling window for a secure hold and protection of the label, use of commercially available wiring rails, ON/OFF switch position indicator on...

YOUR ADVANTAGES



WORLDWIDE TRADE
Corporate video eibmarkt®



COMPLAINTS HANDLINGObliging and 100% safely



SHORT DELIVERY TIME Warehousing



99% CUSTOMER SATISFACTION > 500,000 customers worldwide



25 YEARS OF EXPERIENCE *In worldwide mail order*



REFUNDWithin 14 days



DHL TRACK & TRACE Shipment tracking



ORDER LIVE CHAT
With order history



DATA PROTECTION
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (www.eibmarkt.de). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

- ** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.
- *** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

