×



Item Number EB16401111

https://www.eibabo.cn/eltako/led-dimmer-switch-12-36v-dc-dimmer-flush-mounted-eld61-12-36v-dc-eb 16401111



LED dimmer switch 12-36V DC - Dimmer flush mounted ELD61/12-36V DC

Eltako

ELD61/12-36V DC 61100865 4010312109502 EAN/GTIN

287,62 CNY excl. VAT**

plus shipping



4-5 days* (CHN)

LED dimmer switch 12-36V DC ELD61/12-36V DC Other composition, touch operation type of operation, other load type, light value memory, can be used with button, flushmounted installation type, screw fastening type, plastic material, thermoplastic material quality, halogen-free, other surface finish, design The surface is matt, color blue, nominal voltage 8 ... 230V, control voltage 8 ... 230V, connection type screw terminal, wire cross-section 4 ... 4mm², device width 45mm, device height 45mm, device depth 18mm, min. depth of device box 18mm, LED dimmer switch 12-36Vdc. Power MOSFET for LED lamps 12-36V DC up to 4A, pulse width modulation PWM. Standby loss only 0.1 watts. Minimum brightness and dimming speed adjustable. With children's room and snooze switch. For flush mounting. 45mm long, 45mm wide, 18mm deep. Dimmer switch for R and LED loads up to 4A depending on ventilation conditions. With soft on and soft off to protect the lamp. Supply voltage 12 to 36V DC, depending on the connected LED lighting. A pulse-resistant power supply is required. Universal control voltage 8..230V UC, electrically isolated from the supply voltage. Either direction buttons can be connected to arrow up+down, or these connection terminals are bridged and a button is connected as a universal button. With universal button: Short control commands switch on/off, permanent control changes the brightness up to the maximum value. An interruption of the control changes the dimming direction. With direction button: switch on and dim up with the up arrow, switch off and dim down with the down arrow. A double impulse with the arrow up causes dimming up to full brightness with the set dimming speed (dimspeed). The set brightness level is saved when the device is switched off (memory). In the event of a power failure, the switching position and the brightness level are saved and, if necessary, switched on when the supply voltage returns. Automatic electronic overload protection and over-temperature shutdown. The LED indicates activation by flashing briefly. The minimum brightness (fully dimmed) can be set with the upper %lamp rotary switch. The dimming speed can be set with the lower dimming speed rotary switch. At the same time, the duration of Soft-On and Soft-Off is changed. With children's room circuit (universal button or direction button): When switching on by pressing the button for a longer period of time, it is switched on with the lowest brightness after approx. With snooze circuit (universal button or direction button): A double impulse dims the lighting from the current dimming setting down to minimum brightness and switches it...

YOUR ADVANTAGES



WORLDWIDE TRADE
Corporate video eibmarkt®



COMPLAINTS HANDLINGObliging and 100% safely



SHORT DELIVERY TIME
Warehousing



99% CUSTOMER SATISFACTION > 500,000 customers worldwide



25 YEARS OF EXPERIENCE In worldwide mail order



REFUND Within 14 days



DHL TRACK & TRACE Shipment tracking



ORDER LIVE CHAT
With order history



DATA PROTECTION
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (www.eibmarkt.de). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

- ** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.
- *** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

