

×

https://www.eibabo.cn/eberle/load-shedding-relay-uc24-240v-mi-20-eb15719155

## Load shedding relay UC24-240V MI 20



Eberle MI 20 040015740422 4017254148897 EAN/GTIN

## 767,74 CNY excl. VAT\*\*

plus shipping



Load shedding relay, Load shedding relay Rated voltage 400V, Just-operate current 2 ... 20A, Max. time-delayed switch-off 200ms, Max. continuous current 100A, Number of contacts as change-over contact 1, Rated current (control contacts) 5A, Max. switching voltage (control contacts) 250V, Max. switching power (control contacts) 1250VA, Electrical lifespan (control contacts) 100000c (contacts), Mechanical lifetime (control contacts) 100000c (contacts), Max. electrical switching cycles 360c/h, Voltage type AC/DC, Mounting method DIN rail, Width in number of modular spacings 1, Built-in depth 91,5mm, Degree of protection (IP) IP20

## YOUR ADVANTAGES



© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (<u>www.eibmarkt.de</u>). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL). \*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries

outside the EU. \*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

> eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

