

Item Number EB10742697

×

https://www.eibabo.cn/abb/pluggable-interface-relay-s-switching-relay-ac-0v-dc-24v-6a-cr-m024dc4-eb 10742697



Pluggable interface relay s - Switching relay AC 0V DC 24V 6A CR-M024DC4

ABB CR-M024DC4 1SVR405613R1000 4013614497711 EAN/GTIN

622,32 CNY excl. VAT**

plus shipping



Switching relay DC 24V 6A Type of electric connection Plug-in connection, Nominal current 6A, Rated control supply voltage Us at AC 50HZ 0V, Rated control supply voltage Us at AC 60HZ 0V, Rated control supply voltage Us at DC 24 ... 24V, Voltage type for actuating DC, Drive, polarization Polarity free, Drive, switching attitude Mono stable, Number of contacts as normally closed contact 0, Number of contacts as normally open contact 0, Number of contacts as change-over contact 4, Type of switch contact Simple contact, Degree of protection (IP) IP40, Width 21,2mm, Height 35,6mm, Depth 27,5mm

YOUR ADVANTAGES



© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company (<u>www.eibmarkt.de</u>). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

** Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

*** Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

> eibabo® the Smart Home technology shop eibabo® electronics cheap online order eibabo® electric appliances buy online

