



## Interface module - Signal converter PTi 24VAC/DC



**Metz**  
PTi 24VAC/DC  
11050108  
4250184122180 EAN/GTIN

**403,03 CNY** excl. VAT\*\*  
plus shipping

 15-16 days\* (CHN)

Interface module PTi 24VAC/DC Connection type primary side other, Connection type secondary side other, Overcurrent protection, Galvanic isolation passive, The potential isolator / signal converter is used to separate analog signals in the range from 0 to 10 V DC and 0 to 20 mA DC or to convert signals from 0 to 10 V DC to 0 to 20 mA DC or 0 to 20 mA DC to 0 to 10 V DC. The input and output signals as well as the supply voltage are electrically isolated from one another. An input signal of 0 to 10 V or 0 to 20 mA can be connected to the device. Potential isolation function: With the PT-C12, the input signal 0 to 10 V is proportionally adjusted to the output signal 0 to 10 V. The PTi-C12 adjusts the input signal 0 to 20 mA proportionally to the output signal 0 to 20 mA. Signal conversion function with electrical isolation: With a signal conversion from 0 to 10 V to 0 to 20 mA or 0 to 20 mA to 0 to 10 V, the converted output signal can be readjusted using the integrated spindle trimmer. In addition, a manual emergency operating level with a HAND-AUTO switch with feedback contact is integrated. The output signal 0 to 10 V or 0 to 20 mA can be set using the front potentiometer in the HAND switch position. A constant output voltage of max. 10 V DC, 5 mA is available at the 10 V terminal. The input Y is used for the LED display of the output voltage U<sub>a</sub>. The brightness of the LED depends on the level of the output signal (bridge between U<sub>a</sub> and Y). Alternatively, an external signal can be connected to input Y for the LED display of 0 to 10 V DC. Connection with screw terminals

## YOUR ADVANTAGES

 **WORLDWIDE TRADE**  
Corporate video eibmarkt®

 **COMPLAINTS HANDLING**  
Obliging and 100% safely

 **SHORT DELIVERY TIME**  
Warehousing

 **99% CUSTOMER SATISFACTION**  
> 500,000 customers worldwide

 **25 YEARS OF EXPERIENCE**  
In worldwide mail order

 **REFUND**  
Within 14 days

 **DHL TRACK & TRACE**  
Shipment tracking

 **ORDER LIVE CHAT**  
With order history

 **DATA PROTECTION**  
Guarantee

© 1997-2024 eibmarkt.com GmbH - Kemmlerstrasse 1 - 08527 Plauen - Germany

eibabo® and eibmarkt® are registered trademarks of EIBMARKT® GmbH holding company ([www.eibmarkt.de](http://www.eibmarkt.de)). eibabo® is a company of eibmarkt.com GmbH. eibmarkt.com GmbH is a 100% subsidiary of EIBMARKT® GmbH holding.

\* Note on delivery time: Day = Monday to Friday, no public holiday in Bavaria or Saxony. Goods are also delivered on Saturdays (DHL).

\*\* Payment methods may vary from country to country. All prices plus shipping and excluding customs duties or other additional costs (import sales tax) for deliveries outside the EU.

\*\*\* Savings compared to RRP = the manufacturer's recommended retail price. RRP is the price recommended to retailers by the manufacturer, importer or wholesaler as a resale price to the customer. The RRP is also referred to as the list price and is defined as the highest possible price that a buyer would pay for a specific product before any discounts (Source of gross list prices: Germany).

eibabo® the Smart Home technology shop  
eibabo® electronics cheap online order  
eibabo® electric appliances buy online

